








ifconfig.co — What is my IP address?

2a01:4f8:1c1e:681e::1





This site is graciously hosted by Leafcloud – The Truly Sustainable Cloud

What do we know about this IP address?

IP address	2a01:4f8:1c1e:681e::1				
IP address (decimal)	5583286890675005936292848746993234739				
Country	Germany				
Country (ISO code)	DE				
In EU?	true				
Region	Bavaria				
Region code	BY				
Postal code	91710				
City	Gunzenhausen				
Latitude	49.1156				
Longitude	10.7511				
Timezone	Europe/Berlin				
ASN	AS24940				
ASN (organization)	Hetzner Online GmbH				
User agent	Mozilla/5.0				
User agent: Comment	(X11; Linux x86_64; rv:109.0) Gecko/20100101 Firefox/115.0				
lleev egenti	Mazilla/C 0 (V11, Lipuw v96, 64, 54, 100, 0)				

How do I get this programmatically?

With the widget below you can build your query, and see what the result will look like.

\$ curl ifconfig.co/ 2a01:4f8:1c1e:681e::1	ip country countr	ry-iso city	asn	json	port
2a01:4f8:1c1e:681e::1	\$ curl ifconfig.c	0/			
	2a01:4f8:1c1e:681	e::1			

FAQ

How do I force IPv4 or IPv6 lookup?

As of 2018-07-25 it's no longer possible to force protocol using the *v4* and *v6* subdomains. IPv4 or IPv6 still can be forced by passing the appropriate flag to your client, e.g curl -4 or curl -6.

Can I force getting JSON?

Setting the Accept: application/json header works as expected.

Is automated use of this service permitted?

Yes, as long as the rate limit is respected. The rate limit is in place to ensure a fair service for all.